

## कार्यालय प्राचार्य, भारत सिंह रावत राजकीय महाविद्यालय, रिखणीखाल(पौड़ी गढ़वाल)


थ, रिखणाखाल(पोड़ी गढ़वाल) Website: <u>www.gdcrikhnikhal.com</u>

E-mail: gdcrikhnikhal@gmail.com

## PARENTS ONLINE FEEDBACK ANALYSIS (SESSION: 2020-2023)

| S.N. | Description States of subject to the second | excellent | very<br>good | good | bad | very<br>bad | Excellent% | very<br>good% | good % | bad%  | very<br>bad% | Total<br>Response |
|------|---|-----------|--------------|------|-----|-------------|------------|---------------|--------|-------|--------------|-------------------|
| 1    | Status of subject related books and text material in the library.   | 15        | 34           | 34   | 1   | 0           | 17.85      | 17.85         | 40.47  | 40.47 | 1.19         | 84                |
| 2    | Status of reading room.   | 7         | 36           | 41   | 0   | 0           | 8.33       | 8.33          | 42.85  | 48.80 | 0            | 84                |
| 3    | Behaviour of library and office staff.  | 17        | 39           | 27   | 0   | 1           | 20.23      | 20.23         | 46.42  | 32.14 | 0            | 84                |
| 4    | Status of internet for students in college.   | 7         | 30           | 37   | 9   | 1           | 8.33       | 8.33          | 35.7   | 44.04 | 10.71        | 84                |
| 5    | Toilet condition (Maintenance and cleaning)   | 20        | 33           | 28   | 3   | 0           | 23.80      | 23.80         | 39.28  | 33.33 | 3.57         | 84                |
| 6    | Drinking water system   | 19        | 42           | 23   | 0   | 0           | 22.61      | 22.61         | 50     | 27.38 | 0            | 84                |
| 7    | Availability of experimental materials and equipment in laboratories  | 2         | 37           | 39   | 4   | 2           | 2.38       | 2.38          | 44.04  | 46.42 | 4.76         | 84                |
| 8    | Arrangements for cleanliness in classrooms  | 22        | 43           | 17   | 2   | 0           | 26.19      | 26.19         | 51.19  | 20.23 | 2.38         | 84                |
| 9    | Status of facilities for persons with disabilities  | 7         | 35           | 34   | 5   | 3           | 8.33       | 8.33          | 41.66  | 40.47 | 5.95         | 84                |
| 10   | The condition of the green environment in the campus  | 26        | 35           | 23   | 0   | 0           | 30.95      | 30.95         | 41.66  | 27.38 | 0            | 84                |

DE Mahesh Chandra Arya IQAC/NAAC Coordinator BSR Rajkiya Mahavidhustava Eckhoikhal (Formal)



Dr. Mahesh Chandra IQAC/NAAC Coord BCR Rajkiya Mahavid